


## Stewardship Issues

Massachusetts is a small state, but it contains a tremendous variety of ecosystems, plant and animal species, management challenges, and opportunities. This section of your plan will provide background information about the Massachusetts forest landscape as well as issues that might affect your land. **The Stand Descriptions and Management Practices sections of your plan will give more detailed property specific information** on these subjects tailored to your management goals.



**Biodiversity:** Biological diversity is, in part, a measure of the variety of plants and animals, the communities they form, and the ecological processes (such as water and nutrient cycling) that sustain them. With the recognition that each species has value, individually and as part of its natural community, maintaining biodiversity has become an important resource management goal.

While the biggest threat to biodiversity in Massachusetts is the loss of habitat to development, another threat is the introduction and spread of invasive non-native plants. Non-native invasives like European Buckthorn, Asiatic Bittersweet, and Japanese Honeysuckle spread quickly, crowding out or smothering native species and upsetting and dramatically altering ecosystem structure and function. Once established, invasives are difficult to control and even harder to eradicate. Therefore, vigilance and early intervention are paramount.

Another factor influencing biodiversity in Massachusetts concerns the amount and distribution of forest growth stages. Wildlife biologists have recommended that, for optimal wildlife habitat on a landscape scale, 5-15% of the forest should be in the seedling stage (less than 1" in diameter). Yet we currently have no more than 2-3% early successional stage seedling forest across the state. There is also a shortage of forest with large diameter trees (greater than 20"). See more about how you can manage your land with biodiversity in mind in the "Wildlife" section below. (Also refer to *Managing Forests to Enhance Wildlife Diversity in Massachusetts* and *A Guide to Invasive Plants in Massachusetts* in the binder pockets.)




**Rare Species:** Rare species include those that are **threatened** (abundant in parts of its range but declining in total numbers, those of **special concern** (any species that has suffered a decline that could threaten the species if left unchecked), and **endangered** (at immediate risk of extinction and probably cannot survive without direct human intervention). Some species are threatened or endangered globally, while others are common globally but rare in Massachusetts.

Of the 2,040 plant and animal species (not including insects) in Massachusetts, 424 are considered rare. About 100 of these rare species are known to occur in woodlands. Most of these are found in wooded wetlands, especially vernal pools. These temporary shallow pools dry up by late summer, but provide crucial breeding habitat for rare salamanders and a host of other unusual forest dwelling invertebrates. Although many species in Massachusetts are adapted to and thrive in recently disturbed forests, rare species are often very sensitive to any changes in their habitat

Indispensable to rare species protection is a set of maps maintained by the Division of Fisheries and Wildlife's Natural Heritage & Endangered Species Program (NHESP) that show current and historic locations of rare species and their habitats. The maps of your property will be compared to these rare species maps and the result indicated on the upper right corner of the front page of the plan. Prior to any

regulated timber harvest, if an occurrence does show on the map, the NHESP will recommend protective measures. Possible measures include restricting logging operations to frozen periods of the year, or keeping logging equipment out of sensitive areas. You might also use information from NHESP to consider implementing management activities to improve the habitat for these special species.



**Riparian and Wetlands Areas:** Riparian and wetland areas are transition areas between open water features (lakes, ponds, streams, and rivers) and the drier terrestrial ecosystems. More specifically, a **wetland** is an area that has hydric (wet) soils and a unique community of plants that are adapted to live in these wet soils. Wetlands may be adjacent to streams or ponds, or a wetland may be found isolated in an otherwise drier landscape. A **riparian area** is the transition zone between an open water feature and the uplands (see Figure 1). A riparian zone may contain wetlands, but also includes areas with somewhat better drained soils. It is easiest to think of riparian areas as the places where land and water meet.




Figure 1: Example of a riparian zone.

The presence of water in riparian and wetland areas make these special places very important. Some of the functions and values that these areas provide are described below:

**Filtration:** Riparian zones capture and filter out sediment, chemicals and debris before they reach streams, rivers, lakes and drinking water supplies. This helps to keep our drinking water cleaner, and saves communities money by making the need for costly filtration much less likely.

**Flood control:** By storing water after rainstorms, these areas reduce downstream flooding. Like a sponge, wetland and riparian areas absorb stormwater, then release it slowly over time instead of in one flush.

**Critical wildlife habitat:** Many birds and mammals need riparian and wetland areas for all or part of their life cycles. These areas provide food and water, cover, and travel corridors. They are often the most important habitat feature in Massachusetts' forests.

**Recreational opportunities:** Our lakes, rivers, streams, and ponds are often focal points for recreation. We enjoy them when we boat, fish, swim, or just sit and enjoy the view.

In order to protect wetlands and riparian areas and to prevent soil erosion during timber harvesting activities, Massachusetts promotes the use of “Best Management Practices” or BMPs. Maintaining or reestablishing the protective vegetative layer and protecting critical areas are the two rules that underlie these common sense measures. DCR’s Massachusetts Forestry Best Practices Manual (included with this plan) details both the legally required and voluntary specifications for log landings, skid trails, water bars, buffer strips, filter strips, harvest timing, and much more.

The two Massachusetts laws that regulate timber harvesting in and around wetlands and riparian areas are the Massachusetts Wetlands Protection Act (CH 131), and the Forest Cutting Practices Act (CH132). Among other things, CH132 requires the filing of a cutting plan and on-site inspection of a harvest operation by a DCR Service Forester to ensure that required BMPs are being followed when a commercial harvest exceeds 25,000 board feet or 50 cords (or combination thereof).



**Soil and Water Quality:** Forests provide a very effective natural buffer that holds soil in place and protects the purity of our water. The trees, understory vegetation, and the organic material on the forest floor reduce the impact of falling rain, and help to insure that soil will not be carried into our streams and waterways.

To maintain a supply of clean water, forests must be kept as healthy as possible. Forests with a diverse mixture of vigorous trees of different ages and species can better cope with periodic and unpredictable stress such as insect attacks or windstorms.

Timber harvesting must be conducted with the utmost care to ensure that erosion is minimized and that sediment does not enter streams or wetlands. Sediment causes turbidity which degrades water quality and can harm fish and other aquatic life. As long as Best Management Practices (BMPs) are implemented correctly, it is possible to undertake active forest management without harming water quality.



**Forest Health:** Like individual organisms, forests vary in their overall health. The health of a forest is affected by many factors including weather, soil, insects, diseases, air quality, and human activity. Forest owners do not usually focus on the health of a single tree, but are concerned about catastrophic events such as insect or disease outbreaks that affect so many individual trees that the whole forest community is impacted.

Like our own health, it is easier to prevent forest health problems than to cure them. This preventative approach usually involves two steps. First, it is desirable to maintain or encourage a wide diversity of tree species and age classes within the forest. This diversity makes a forest less susceptible to a single devastating health threat. Second, by thinning out weaker and less desirable trees, well-spaced healthy individual trees are assured enough water and light to thrive. These two steps will result in a forest of vigorously growing trees that is more resistant to environmental stress.



**Fire:** Most forests in Massachusetts are relatively resistant to catastrophic fire. Historically, Native Americans commonly burned certain forests to improve hunting grounds. In modern times, fires most often result from careless human actions. The risk of an unintentional and damaging fire in your woods could increase as a result of logging activity if the slash (tree tops, branches, and debris) is not treated correctly.

Adherence to the Massachusetts slash law minimizes this risk. Under the law, slash is to be removed from buffer areas near roads, boundaries, and critical areas and lopped close to the ground to speed decay. Well-maintained woods roads are always desirable to provide access should a fire occur.

Depending on the type of fire and the goals of the landowner, fire can also be considered as a management tool to favor certain species of plants and animals. Today the use of prescribed burning is largely restricted to the coast and islands, where it is used to maintain unique natural communities such as sandplain grasslands and pitch pine/scrub oak barrens. However, state land managers are also attempting to bring fire back to many of the fire-adapted communities found elsewhere around the state.



**Wildlife Management:** Enhancing the wildlife potential of a forested property is a common and important goal for many woodland owners. Sometimes actions can be taken to benefit a particular species of interest (e.g., put up Wood Duck nest boxes). In most cases, recommended management practices can benefit many species, and fall into

one of three broad strategies. These are **managing for diversity, protecting existing habitat, and enhancing existing habitat.**

**Managing for Diversity** – Many species of wildlife need a variety of plant communities to meet their lifecycle requirements. In general, a property that contains a diversity of habitats will support a more varied wildlife population. A thick area of brush and young trees might provide food and cover for grouse and cedar waxwing; a mature stand of oaks provides acorns for foraging deer and turkey; while an open field provides the right food and cover for cottontail rabbits and red fox. It is often possible to create these different habitats on your property through active management. The appropriate mix of habitat types will primarily depend on the composition of the surrounding landscape and your objectives. It may be a good idea to create a brushy area where early successional habitats are rare, but the same practice may be inappropriate in the area's last block of mature forest.

**Protecting Existing Habitat** – This strategy is commonly associated with managing for rare species or those species that require unique habitat features. These habitat features include vernal pools, springs and seeps, forested wetlands, rock outcrops, snags, den trees, and large blocks of unbroken forest. Some of these features are rare, and they provide the right mix of food, water, and shelter for a particular species or specialized community of wildlife. It is important to recognize their value and protect their function. This usually means not altering the feature and buffering the resource area from potential impacts.

**Enhancing Existing Habitat** – This strategy falls somewhere between the previous two. One way the wildlife value of a forest can be enhanced is by modifying its structure (number of canopy layers, average tree size, density). Thinning out undesirable trees from around large crowned mast (nut and fruit) trees will allow these trees to grow faster and produce more food. The faster growth will also accelerate the development of a more mature forest structure, which is important for some species. Creating small gaps or forest openings generates groups of seedlings and saplings that provide an additional layer of cover, food, and perch sites.

Each of these three strategies can be applied on a single property. For example, a landowner might want to increase the habitat diversity by reclaiming an old abandoned field. Elsewhere on the property, a stand of young hardwoods might be thinned to reduce competition, while a “no cut” buffer is set up around a vernal pool or other habitat feature. The overview, stand description and management practice sections of this plan will help you understand your woodland within the context of the surrounding landscape and the potential to diversify, protect or enhance wildlife habitat.



**Wood Products:** If managed wisely, forests can produce a periodic flow of wood products on a sustained basis. Stewardship encompasses finding ways to meet your current needs while protecting the forest’s ecological integrity. In this way, you can harvest timber and generate income without compromising the opportunities of future generations.

Massachusetts forests grow many highly valued species (white pine, red oak, sugar maple, white ash, and black cherry) whose lumber is sold throughout the world. Other lower valued species (hemlock, birch, beech, red maple) are marketed locally or regionally, and become products like pallets, pulpwood, firewood, and lumber. These products and their associated value-added industries contribute between 200 and 300 million dollars annually to the Massachusetts economy.

By growing and selling wood products in a responsible way you are helping to our society’s demand for these goods. Harvesting from sustainably managed woodlands – rather than from unmanaged or poorly managed forest – benefits the public in a multitude of ways. The sale of timber, pulpwood, and firewood also provides periodic income that you can reinvest in the property, increasing its value and helping you meet your long-term goals. Producing wood products helps defray the costs of owning woodland, and helps private landowners keep their forestland undeveloped.



**Cultural Resources:** Cultural resources are the places containing evidence of people who once lived in the area. Whether a Native American village from 1,700 years ago, or the remains of a farmstead from the 1800’s, these features all tell important and interesting stories about the landscape, and should be protected from damage or loss.

Massachusetts has a long and diverse history of human habitation and use. Native American tribes first took advantage of the natural bounty of this area over 10,000 years ago. Many of these villages were located along the coasts and rivers of the state. The interior woodlands were also used for hunting, traveling, and temporary camps. Signs of these activities are difficult to find in today’s forests. They were obscured by the dramatic landscape impacts brought by European settlers as they swept over the area in the 17<sup>th</sup> and 18<sup>th</sup> centuries.

By the middle 1800’s, more than 70% of the forests of Massachusetts had been cleared for crops and pastureland. Houses, barns, wells, fences, mills, and roads were all constructed as woodlands were converted for agricultural production. But when the Erie Canal connected the Midwest with the eastern cities, New England farms were abandoned for the more productive land in the Ohio River valley, and the landscape began to revert to forest. Many of the abandoned buildings were disassembled and moved, but the supporting stonework and other changes to the landscape can be easily seen today.

One particularly ubiquitous legacy of this period is stone walls. Most were constructed between 1810 and 1840 as stone fences (wooden fence rails had become scarce) to enclose sheep within pastures, or to

exclude them from croplands and hayfields. Clues to their purpose are found in their construction. Walls that surrounded pasture areas were comprised mostly of large stones, while walls abutting former cropland accumulated many small stones as farmers cleared rocks turned up by their plows. Other cultural features to look for include cellar holes, wells, old roads and even old trash dumps.

### **History of Natural Disturbance:**

As noted above, the mid 19th century was the height of forestland clearing for agriculture and pasturing. The availability of richer, more productive farmland in the Midwest resulted in farm abandonment and subsequent regrowth of white pine, chestnut, and mixed hardwoods including red oak. In the early 20th century these stands, particularly white pine, were cut to supply the wood container industry. Farm activity on the newly cleared land was truncated by World Wars I and II and brought about another wave of farm abandonment and regrowth. Natural disturbances since 1900 include the Chestnut blight of 1900-1908, the hurricane of 1938, the Gypsy Moth outbreak of 1980-1982, wind events, and ice damage, most notably in December 2008.



**Recreation and Aesthetic Considerations:** Recreational opportunities and aesthetic quality are the most important values for many forest landowners, and represent valid goals in and of themselves. Removing interfering vegetation can open a vista or highlight a beautiful tree, for example. When a landowner's goals include timber, thoughtful forest management can be used to accomplish silvicultural objectives while also reaching recreational and/or aesthetic objectives. For example, logging trails might be designed to provide a network of cross-country ski trails that lead through a variety of habitats and reveal points of interest.

If aesthetics is a concern and you are planning a timber harvest, obtain a copy of this excellent booklet: *A Guide to Logging Aesthetics: Practical Tips for Loggers, Foresters & Landowners*, by Geoffrey T. Jones, 1993. (Available from the Northeast Regional Agricultural Engineering Service, (607) 255-7654, for \$7). Work closely with your consultant to make sure the aesthetic standards you want are included in the contract and that the logger selected to do the job executes it properly. The time you take to plan ahead of the job will reward you and your family many times over with a fuller enjoyment of your forest, now and well into the future.



**Invasive Species Management:** Invasive species pose immediate and long-term threats to the woodlands of MA. Defined as a non-native species whose introduction does or is likely to cause economic or environmental harm or harm to human, animal, or plant health, invasives are well-adapted to a variety of environmental conditions, out-compete more desirable native species, and often create monocultures devoid of biological diversity. The websites of the Invasive Plant Atlas of New England, [www.nbii-nin.ciesin.columbia.edu/ipane](http://www.nbii-nin.ciesin.columbia.edu/ipane), and the New England Wildflower Society,

[www.newfs.org](http://www.newfs.org) are excellent sources of information regarding the identification and management of invasive plants. Some of the common invasive plants found in MA are listed below.

- Oriental Bittersweet (*Celastrus orbiculata*)
- Glossy Buckthorn (*Frangula alnus*)
- Multiflora Rose (*Rosa multiflora*)
- Japanese Barberry (*Berberis thunbergii*)
- Japanese Knotweed (*Fallopia japonica*)
- Autumn Olive (*Eleaagnus umbellata*)

Early detection and the initiation of control methods soon after detection are critical to suppressing the spread of invasive species. Selective application of the proper herbicide is often the most effective control method. See the next section for information on the use of chemicals in forest management activities.



Asian Longhorned Beetle

## **Pesticide Use**

Pesticides such as herbicides, insecticides, fungicides, and rodenticides are used to control “pests”. A pest is any mammal, bird, invertebrate, plant, fungi, bacteria or virus deemed injurious to humans and/or other mammals, birds, plants, etc. The most common forest management use of a pesticide by woodland owners is the application of herbicide to combat invasive species. MA DCR suggests using a management system(s) that promotes the development and adoption of environmentally friendly no-chemical methods of pest management that strives to avoid the use of chemical pesticides. If chemicals are used, proper equipment and training should be utilized to minimize health and environmental risks. In Massachusetts, the application of pesticides is regulated by the MA Pesticide Control Board. For more information, contact MA Department of Agricultural Resources (MDAR), Pesticide Bureau at (617) 626-1776

**Please refer to FSC Pesticides Policy: Guidance on Implementation (FSC-GUI30-001 Version 2-0 EN, May 5, 2007) for information on chemicals banned from use on MA Private Lands Group Certification member properties.**

---

**This is your Stewardship Plan.** It is based on the goals that you have identified. The final success of your Stewardship Plan will be determined first, by how well you are able to identify and define your goals, and second, by the support you find and the resources you commit to implement each step.

It can be helpful and enjoyable to visit other properties to sample the range of management activities and see the accomplishments of others. This may help you visualize the outcome of alternative management decisions and can either stimulate new ideas or confirm your own personal philosophies. Don't hesitate to express your thoughts, concerns, and ideas. Keep asking questions! Please be involved and enjoy the fact that you are the steward of a very special place.

